

COVID-19 (2019 CORONAVIRUS DISEASE)

### A respiratory disease caused by a novel (new) coronavirus that was first detected in china and which has now been detected in almost 70 locations internationally, including in the United States. The virus has been named "SARS-COV-2" and the disease it causes has been named "coronavirus disease 2019" (abbreviated "COVID-19"). ###################################		
United States. The virus has been named "SARS-CoV-2" and the disease it causes has been named "coronavirus disease 2019" (abbreviated "COVID-19"). *Infected person (with or without symptoms) coughing or sneezing within 6 feet of others. *Close personal contact such as shaking hands, touching an object or surface with the virus on it and then touching mouth, nose, or eyes before washing hands. *Incubation** *Incubation*	WHAT IS IT?	A respiratory disease caused by a novel (new) coronavirus that was first detected in China
Insert "coronavirus disease 2019" (abbreviated "COVID-19"). HOW DOES Infected person (with or without symptoms) coughing or sneezing within 6 feet of others. Close personal contact such as shaking hands, touching an object or surface with the virus on it and then touching mouth, nose, or eyes before washing hands. INCUBATION Ime from exposure to the virus until getting ill could be 2-14 days; average 5 days Mild to severe illness and death especially noted in older people and people with underlying disease like heart, lung or diabetes. Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea TREATMENT There is no specific antiviral treatment recommended at this time. Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. MASKS Hasks on the rice and surface of medical personnel.		and which has now been detected in almost 70 locations internationally, including in the
 Infected person (with or without symptoms) coughing or sneezing within 6 feet of others. Close personal contact such as shaking hands, touching an object or surface with the virus on it and then touching mouth, nose, or eyes before washing hands. Time from exposure to the virus until getting ill could be 2-14 days; average 5 days Mild to severe illness and death especially noted in older people and people with underlying disease like heart, lung or diabetes. Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea There is no specific antiviral treatment recommended at this time. Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes.<th></th><th>United States. The virus has been named "SARS-CoV-2" and the disease it causes has been</th>		United States. The virus has been named "SARS-CoV-2" and the disease it causes has been
Close personal contact such as shaking hands, touching an object or surface with the virus on it and then touching mouth, nose, or eyes before washing hands. **Incubation Time from exposure to the virus until getting ill could be 2-14 days; average 5 days **Mild to severe illness and death especially noted in older people and people with underlying disease like heart, lung or diabetes. **Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea **Supportive care if ill. **HOW IS IT** DIAGNOSED?** **Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. **PREVENTION** **Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. **Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? **Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. **Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. **Stay home when ill. Plan for child or elder care in case of illness. **Do not share cigarettes, pipes, cups, utensils or toothbrushes. **Avoid close contact. Don't shake hands. **Face masks do not protect. Should only be worn if sick to protect others. **There is a critical shortage of masks and gloves that are needed by medical personnel.		named "coronavirus disease 2019" (abbreviated "COVID-19").
INCUBATION Time from exposure to the virus until getting ill could be 2-14 days; average 5 days SIGNS & SYMPTOMS **Mild to severe illness and death especially noted in older people and people with underlying disease like heart, lung or diabetes. **Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea **TREATMENT** **There is no specific antiviral treatment recommended at this time. **Supportive care if ill. **Supportive care if ill. **O'Itteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. **PREVENTION** **PREVENTION** **PREVENTION** **PREVENTION* **Cover your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. **Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? **Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. *Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. *Stay home when ill. Plan for child or elder care in case of illness. *Do not share cigarettes, pipes, cups, utensils or toothbrushes. *Avoid close contact. Don't shake hands. *Face masks do not protect. Should only be worn if sick to protect others. *There is a critical shortage of masks and gloves that are needed by medical personnel.	HOW DOES	•Infected person (with or without symptoms) coughing or sneezing within 6 feet of others.
SIGNS & SYMPTOMS **Mild to severe illness and death especially noted in older people and people with underlying disease like heart, lung or diabetes. **Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea **TREATMENT** **TREATMENT** **Supportive care if ill. **Oswab of the nose and throat. **Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. **PREVENTION** **Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. **Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? **Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. **Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. **Stay home when ill. Plan for child or elder care in case of illness. **Do not share cigarettes, pipes, cups, utensils or toothbrushes. **Avoid close contact. Don't shake hands. **MASKS** **Face masks do not protect. Should only be worn if sick to protect others. **There is a critical shortage of masks and gloves that are needed by medical personnel.	IT SPREAD?	•Close personal contact such as shaking hands, touching an object or surface with the virus
* Mild to severe illness and death especially noted in older people and people with underlying disease like heart, lung or diabetes. *Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea *TREATMENT *There is no specific antiviral treatment recommended at this time. *Supportive care if ill. *Swab of the nose and throat. *Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. *Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. *Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? *Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. *Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. *Stay home when ill. Plan for child or elder care in case of illness. *Do not share cigarettes, pipes, cups, utensils or toothbrushes. *Avoid close contact. Don't shake hands. *MASKS *Face masks do not protect. Should only be worn if sick to protect others. *There is a critical shortage of masks and gloves that are needed by medical personnel.		on it and then touching mouth, nose, or eyes before washing hands.
winderlying disease like heart, lung or diabetes. Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea TREATMENT There is no specific antiviral treatment recommended at this time. Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. MASKS Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.	INCUBATION	Time from exposure to the virus until getting ill could be 2-14 days; average 5 days
*Main symptoms: fever and cough, shortness of breath Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea *TREATMENT* *There is no specific antiviral treatment recommended at this time. *Supportive care if ill. *Swab of the nose and throat. *DIAGNOSED?* *Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. *PREVENTION* *Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. **Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? **Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. **Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. **Stay home when ill. Plan for child or elder care in case of illness. **Do not share cigarettes, pipes, cups, utensils or toothbrushes. **Avoid close contact. Don't shake hands. **MASKS* **Face masks do not protect. Should only be worn if sick to protect others. **There is a critical shortage of masks and gloves that are needed by medical personnel.	SIGNS &	Mild to severe illness and death especially noted in older people and people with
Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea TREATMENT There is no specific antiviral treatment recommended at this time. Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. MASKS Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.	SYMPTOMS	underlying disease like heart, lung or diabetes.
Maybe: headache, sore throat, general feeling of being unwell (myalgia or fatigue), diarrhea TREATMENT There is no specific antiviral treatment recommended at this time. Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. MASKS Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.		•Main symptoms: fever and cough, shortness of breath
TREATMENT There is no specific antiviral treatment recommended at this time. Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.		
Supportive care if ill. Swab of the nose and throat. Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.		diarrhea
 * Swab of the nose and throat. * Criteria: People with fever and/or symptoms of acute respiratory illness who have had close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. * Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. * Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? * Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. * Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. * Stay home when ill. Plan for child or elder care in case of illness. * Do not share cigarettes, pipes, cups, utensils or toothbrushes. * Avoid close contact. Don't shake hands. * Face masks do not protect. Should only be worn if sick to protect others. * There is a critical shortage of masks and gloves that are needed by medical personnel. 	TREATMENT	•There is no specific antiviral treatment recommended at this time.
PREVENTION Output O		•Supportive care if ill.
close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom onset, or a history of travel from affected geographic areas within 14 days of symptom onset. PREVENTION • Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. • Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. • Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. • Stay home when ill. Plan for child or elder care in case of illness. • Do not share cigarettes, pipes, cups, utensils or toothbrushes. • Avoid close contact. Don't shake hands. • Face masks do not protect. Should only be worn if sick to protect others. • There is a critical shortage of masks and gloves that are needed by medical personnel.	HOW IS IT	Swab of the nose and throat.
onset, or a history of travel from affected geographic areas within 14 days of symptom onset. • Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. • Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. • Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. • Stay home when ill. Plan for child or elder care in case of illness. • Do not share cigarettes, pipes, cups, utensils or toothbrushes. • Avoid close contact. Don't shake hands. • Face masks do not protect. Should only be worn if sick to protect others. • There is a critical shortage of masks and gloves that are needed by medical personnel.	DIAGNOSED?	Criteria: People with fever and/or symptoms of acute respiratory illness who have had
PREVENTION • Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. • Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. • Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. • Stay home when ill. Plan for child or elder care in case of illness. • Do not share cigarettes, pipes, cups, utensils or toothbrushes. • Avoid close contact. Don't shake hands. MASKS • Face masks do not protect. Should only be worn if sick to protect others. • There is a critical shortage of masks and gloves that are needed by medical personnel.		close contact with a laboratory-confirmed COVID-19 patient within 14 days of symptom
PREVENTION • Wash your hands with soap and water for at least 20 seconds. If soap and water isn't available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. • Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. • Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. • Stay home when ill. Plan for child or elder care in case of illness. • Do not share cigarettes, pipes, cups, utensils or toothbrushes. • Avoid close contact. Don't shake hands. MASKS • Face masks do not protect. Should only be worn if sick to protect others. • There is a critical shortage of masks and gloves that are needed by medical personnel.		onset, or a history of travel from affected geographic areas within 14 days of symptom
available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective and easy to carry. •Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. •Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. •Stay home when ill. Plan for child or elder care in case of illness. •Do not share cigarettes, pipes, cups, utensils or toothbrushes. •Avoid close contact. Don't shake hands. •Face masks do not protect. Should only be worn if sick to protect others. •There is a critical shortage of masks and gloves that are needed by medical personnel.		onset.
and easy to carry. •Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. •Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. •Stay home when ill. Plan for child or elder care in case of illness. •Do not share cigarettes, pipes, cups, utensils or toothbrushes. •Avoid close contact. Don't shake hands. MASKS •Face masks do not protect. Should only be worn if sick to protect others. •There is a critical shortage of masks and gloves that are needed by medical personnel.	PREVENTION	• Wash your hands with soap and water for at least 20 seconds. If soap and water isn't
Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.		available, use a hand sanitizer that has a minimum of 60% alcohol. They are very effective
sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. • Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. • Stay home when ill. Plan for child or elder care in case of illness. • Do not share cigarettes, pipes, cups, utensils or toothbrushes. • Avoid close contact. Don't shake hands. • Face masks do not protect. Should only be worn if sick to protect others. • There is a critical shortage of masks and gloves that are needed by medical personnel.		and easy to carry.
hour? • Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. • Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. • Stay home when ill. Plan for child or elder care in case of illness. • Do not share cigarettes, pipes, cups, utensils or toothbrushes. • Avoid close contact. Don't shake hands. • Face masks do not protect. Should only be worn if sick to protect others. • There is a critical shortage of masks and gloves that are needed by medical personnel.		•Cover your cough and sneeze into a tissue or the crook of your elbow. Did you know that a
Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.		sneeze can release 100,000 contagious germs into the air at speeds up to 100 miles per
cleaning spray or wipe as most viruses can live up to 48 hours on surfaces. •Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. •Stay home when ill. Plan for child or elder care in case of illness. •Do not share cigarettes, pipes, cups, utensils or toothbrushes. •Avoid close contact. Don't shake hands. •Face masks do not protect. Should only be worn if sick to protect others. •There is a critical shortage of masks and gloves that are needed by medical personnel.		hour?
*Keep your hands away from your face. Germs can enter our body through the eyes, nose and mouth. *Stay home when ill. Plan for child or elder care in case of illness. *Do not share cigarettes, pipes, cups, utensils or toothbrushes. *Avoid close contact. Don't shake hands. MASKS *Face masks do not protect. Should only be worn if sick to protect others. *There is a critical shortage of masks and gloves that are needed by medical personnel.		Clean and disinfect frequently touched objects and surfaces using a regular household
and mouth. •Stay home when ill. Plan for child or elder care in case of illness. •Do not share cigarettes, pipes, cups, utensils or toothbrushes. •Avoid close contact. Don't shake hands. •Face masks do not protect. Should only be worn if sick to protect others. •There is a critical shortage of masks and gloves that are needed by medical personnel.		cleaning spray or wipe as most viruses can live up to 48 hours on surfaces.
Stay home when ill. Plan for child or elder care in case of illness. Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel.		•Keep your hands away from your face. Germs can enter our body through the eyes, nose
 Do not share cigarettes, pipes, cups, utensils or toothbrushes. Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel. 		
 Avoid close contact. Don't shake hands. Face masks do not protect. Should only be worn if sick to protect others. There is a critical shortage of masks and gloves that are needed by medical personnel. 		•Stay home when ill. Plan for child or elder care in case of illness.
•Face masks do not protect. Should only be worn if sick to protect others. •There is a critical shortage of masks and gloves that are needed by medical personnel.		
•There is a critical shortage of masks and gloves that are needed by medical personnel.		
	MASKS	
VACCINE Currently there is no vaccine.		•There is a critical shortage of masks and gloves that are needed by medical personnel.
	VACCINE	Currently there is no vaccine.

Get the facts from reliable sources such as www.llhd.org

Please note that the details surrounding the COVID-19 outbreak change daily